

# CV 2021 TBM UPDATE\*\*

## SARS-CoV-2 END-TISSUE MENU PROTOCOL

SARS-CoV-2 infection &/or inoculation appears to set the stage for the long-term development of multi-system, end tissue fibrosis. The following Menuing protocol is an attempt to prevent development of the same and to alleviate any lingering post-infection, post-inoculation symptoms. Completing this protocol may take several sessions. For the protocol take proteolytic enzymes on an empty stomach. Both the proteolytic enzymes and nattokinase are to be used for a short duration (8 weeks or less). For further information on the protocol join [Line](#) and message [drkevinmillet](#) asking him to invite you to join the Pathology discussion group.

CAUSE: SARS-CoV-2 infection &/or inoculation.

INDICATION: Persisting post-SARS-CoV-2 infection or inoculation symptomatology or as prophylaxis against long-term development of end-tissue fibrosis.

PROCEDURE: Menu until "Finished" with each of the following techniques:

- ADHESIONS [Menu to anatomical location(s)]
- HARMONIZATION of SARS-CoV-2 infectious agent and inoculation vials both on Thymus and any and all areas of suspected effected end-tissues.
- FILTER with SARS-CoV-2 infectious agent and inoculation vials.
- REPAIR [Menu to anatomical location(s)]
- INFLAMMATION CONTROL [Menu to anatomical location(s)]
- NEUROLOGICAL REPAIR 1 (aka Brain XYZ) [Menu to anatomical location(s)] (See [40th Anniv. Module 3 manual](#))
- CIRCULATIONS - All four
- CRANIAL NERVES (See [40th Anniv. Module 3 manual](#))
- SPIKE PROTEIN
- VASCULAR TONE (formerly Aneurysm) [Menu to anatomical location(s)]
- NEED & USE PROTEOLYTIC ENZYMES taken on an empty stomach ([Serrapeptase with Prozyme](#))
- NEED & USE NATTOKINASE (available from Ecological Formulas)
- HYPERTENSION, Programmed Sequence (See [40th Anniv. Module 3 manual](#))

NOTE: Repair is the 2-pointing of tissue in need of repair to Liver and correcting Liver. Inflammation Control is contacting area in need of technique while testing and correcting Energy Efficiency (formerly "Sugar").

## VIRUS & VACCINE TECHNIQUES, SUPPORT, AND POINTERS

Check this on any individuals who have had the infection, any of the vaccines or been exposed to individuals who have been vaccinated.

### TBM HARMONIZATION VIALS:

The standard TBM Harmonization procedures are utilized for the following vials. We have not developed a simplified version for this as we did with the [SARS-CoV-2 virus last year](#). If you wish to learn the TBM Harmonization procedure you may do so by renting and viewing the [SE1 \(Module 2A\) course](#) on our website. Please be sure to ask "Finished" prior to asking which termination sequence (Simple, Short, B-Cell, T-Cell) as the vial may need to be relocated, particularly to a symptomatic area, and re-Harmonized. Also be sure to check Neurologic Repair 1 (Brain XYZ) and Drain.

- SARS Mix Pre-2003, 2003, 2019, & Mutants which has been **updated with variants** along the way.

- **All five of the world's SARS-CoV-2 virus vaccines** available individually or in the [Alive! 2021 - Miscellaneous set](#).
- All Injection triad of Harmonization vials in the [All vial set](#).
- [Graphite Mix](#) (Nanobots) found in [Environmental: Naturally Occurring set](#). Here's some additional reading on the topic:

1. [Graphene oxide detection in aqueous suspension 2021](#)
2. [Graphite Wikipedia](#)
3. [Blood exposure to graphene oxide may cause anaphylactic death in non-human primates](#)
4. [Assessment of the toxic potential of graphene family nanomaterials 2014](#)
5. [Electronic transport properties of individual chemically reduced graphene oxide sheets 2007](#)
6. [Toxicity of graphene-family nanoparticles a general review of the origins and mechanisms 2016](#)

### SARS-CoV-2 Vaccine (aka COVID-1)

**TEST:** Two-handed contact - with one hand on Lymph point and one hand on Body Fluids (use the client's hand for one of these points). HOLD during test and correction.

**CORRECTION:** L5-T9-T3-C1 upon three phases of respiration

- First presented by Kira Krick, N.D. in 2021

### SARS-CoV-2 Vaccine (aka COVID-2)

**TEST:** Left-hand vertical knife-edge on client left clavicle mid-point.

**CORRECTION:** T5 - L4 upon three phases of respiration

- First presented by Renae Rogers, N.D., L.Ac., C.M.T. in 2021

### Stealth Antigen (Antigen Escape)

**TEST:** While client's fists are clenched (Hidden) test any related Body Point &/or Vial.

**CORRECTION:** Correct the related Body Point &/or Vial while client keeps fists clenched.

- First presented by Kevin Millet, D.C. in 2021

### DNA Repair (formerly DNA)

This technique works to correct any alteration due to exposure to the SARS-CoV-2 virus or vaccine. It is carried out as taught previously in TBM.

- First presented by Kevin Millet, D.C. in 2021

### Spike Protein

**TEST:** Test Resin in combination with Sugar Poisoning. Test any intact muscle.

**CORRECTION:** L5 on three phases of respiration.

- First presented by Kevin Millet, D.C. in 2021

### SPION TECHNIQUE

**TEST:** Test any intact muscle while placing a multipolar magnetic card (available on our website) over any region of the blood-nerve and blood-brain barriers.

**CORRECTION:** CNS Protection vial ([Alive! 2018 Miscellaneous vial set](#)).

**MENU:** How long it will take until the SPIONS have been eliminated from the body.

**MENU:** When the CNS Protection vial will need to be run again.

### LUCIFERASE-INDUCED MITOCHONDRIAL DYSEQUILIBRIUM TECHNIQUE

**FILTER:** Place the associated SARS-CoV-2 inoculation vial on the Thymus.

**TEST:** Niacin, Absorption Programmed Sequence (Flick Parotids, Bronchi, Pancreas, PMS (R), Parotids and test any intact muscle)

**CORRECTION:** T8-T12

## HOST-VIRUS CHIMERIC RNA TRANSCRIPTS (HVA RNA)

**TEST:** Are host-virus chimeric RNA transcripts active in this body?

**CORRECTION:** DNA System (**TEST:** Back of fingers on nasion. **CORRECTION:** L3-T6)

**EXPLANATION:** Genomic alteration is a possibility following exposure to SARS-CoV-2 or having received a SARS-CoV2 inoculation. This may be assessed and corrected with the following technique. Re-test following any SARS-CoV-2 inoculation.

A lot of people have asked if TBM has a "nanobot" vial. Dr. Millet's response has always been that there are so many different types of nanobots that a single nanobot vial is not likely. At present we know of the following nanobots in the SARS-CoV-2 inoculations: graphite oxide (aka graphene), lipid nanoparticles (LNP), luciferase, and super paramagnetic iron-oxide nanoparticle (SPION).

## Vaccine-Reaction Symptomatology

The feedback we have been provided is that the vaccine vials have been successful in rapidly terminating adverse reactions to having been vaccinated and/or exposed to someone who has. We have also had it reported to us that the Harmonization procedure also works prophylactically for those who have plan to receive the vaccine or are aware that they will be in close proximity to individuals who have.

## Determining Which Vaccine to Receive

You may Menu a client's Body as to which vaccine that they would have the best response to. Simply place the Harmonization vials of the vaccines available to your client on the Thymus and inquire as to which of them would be most free of adverse symptomatology and produce the more productive immune response. Reports from practitioners in the field suggest that Sinovac has the least adverse events in number and intensity; Astrazenca seems to have the most. Additionally the Moderna Vx does not test as suitable for the human population and may require extensive clean-up work for those who have received it.

## Dr. Millet's Clinical Pearls

Dr. Millet worked with 3 SARS-CoV-2-innoculated individuals who had already had the TBM Basics and were therefore fully Menuable, in order to discover more about these components.

All three of them tested positive with issues related to luciferase, lipid nanoparticles (LNP), super paramagnetic iron-oxide nanoparticles (SPIONs), ongoing endothelial pathology, advancing necrosis and ensuing adhesion formation, and graphite.

All three required Need & Use evaluation of proteolytic enzymes (PEz). In two of the cases initiating PEz resolved all but the SPIONs and Graphite, the other one also needed correction of luciferase-induced mitochondrial disequilibrium (LIMD). I made that term up but if you study luciferase you will learn that it targets nicotinamide adenine dinucleotide (NAD).

Completing the Spion technique resolved the SPION issue momentarily however it will take time for the body to metabolize the SPIONs (6-24 months) and the technique will need to repeated periodically.

For the graphite issue all that the Body asked for was the standard Harmonization procedure. For the third client who tested positive for LIMD all that was needed is the LIMD technique below.

At present Dr. Millet has found that graphene creates a dysharmony and requires a Harmonization vial (Graphite Mix). The other three respond to techniques (see above). The body seems to rapidly metabolize the

LNP and luciferase however they leave lingering effects that must be cleaned up vial proteolytic enzymes. The SPIONs however seem to take months to metabolize and will require resetting the blood-brain (BBB) and blood-nerve (BNB) integrity until it has all been cleared. It is worth noting that my "N" on this has only been females and I didn't inquire if they were menstruating. It stands to reason that males and non-menstruating females would take longer. The CNS Protection vial resets the neurologic barriers very nicely. It was a program Dr. Millet developed back in 2004 or 2005 and eventually placed it into a vial. It is a very convenient way to reset the BBB and BNB. Here is an [article](#) discussing how magnetics impact neurologic barriers.

Enjoy. Feel free to ask if anything is unclear and let Dr. Millet know what you are finding.

See also [TBM's Corona Virus Comprehensive Procedure](#) in [Free Resources](#) on our [website](#).

\*\*These statements have not been evaluated by the United States Federal Drug Administration (USFDA) and are in no way an attempt to diagnose or treat COVID-19 or any other viral infection. This newsletter is for informational purposes only. Employ stringent measures to protect others and consult an appropriate health care practitioner if you experience any symptoms, such as fever, cough, and shortness of breath, suggestive of COVID-19 or any other viral infections.\*\*

